# SIMPLY GENIUS







# HIGH BLOOD QUALITY DELIVERED, **AUTOMATICALLY.**

The ingeniously simple autoLog IQ<sup>™</sup> autotransfusion system delivers high-quality blood consistently, case after case — no manual settings or adjustments required.<sup>\*</sup>

Just one bowl size. One kit. One button to push for a cell salvage process that automatically adjusts to help maximize hematocrit<sup>\*\*</sup> and minimize waste,<sup>†</sup> even at low volume. In emergencies or complex cases, you have the flexibility to adjust vacuum and wash settings.

All this in a unit that's so compact, user-friendly and easy to operate, it's ideal for operators of all experience levels, in surgical settings throughout the hospital.

## INTELLIGENT

Consistent delivery of high-quality blood product, automatically.

## EASY

Allows for a wider range of operators throughout the hospital.

# ADAPTABLE

Small, mobile, ergonomic – fits into virtually any operating space.



# AUTOTRANSFUSION: CRITICAL IN TODAY'S ENVIRONMENT

As clinical and financial factors drive greater scrutiny of blood usage, the use of autotransfusion is growing throughout the hospital. $^{1-4}$ 

#### Clinical

- Reduces transmission of blood-borne disease<sup>5</sup>
- Lowers risk of transfusion reaction<sup>5</sup>
- Helps address blood shortages<sup>2</sup>

#### Financial

- Reduces use of costly blood products<sup>2</sup>
- Helps reduce cost of transfusion-related reactions<sup>5</sup>
- Reduces costs associated with clerical errors<sup>6</sup>

#### Expanding

- Growing awareness of transfusion cost<sup>2</sup>
- Pressure to reduce use of blood product<sup>2</sup>
- Expanded use by operators in more hospital settings<sup>3</sup>

\* Standard wash

\*\* Compared to allogeneic blood

† Compared to legacy autoLog system

# BLOOD PROCESSING SO INTELLIGENT, IT'S IN A CATEGORY BY ITSELF.

The autoLog IQ autotransfusion system uses **Dynamic Cell Salvage**, a technology that's categorically different than other devices.

Using algorithm-driven Intelligent Blood Sensing, it makes micro adjustments automatically during processing to help maximize hematocrit and washout,\* and minimize waste.\*\*

This dynamic process is **proven to recover high-quality blood**, fast.<sup>†</sup>

Indentations disrupt blood pathway, making the wash process more efficient.

Red blood cells pack tightly, helping maximize hematocrit.\* One bowl size for most procedures.

Molded pathway directs pulse wash to outside of cell pack.

Intellipath Bowl

# CONSISTENTLY EXCELLENT RESULTS<sup>+</sup>

\* Compared to allogeneic blood

\*\* Compared to legacy autoLog system †Medtronic data on file. 10537321DOC, 10604136DOC, 10577687DOC. Heparin washout and fat removal data is from '30%' inlet hematocrit 'standard wash' testing.

### **Blood Quality/Hematocrit**

- Hematocrit of washed product 59-65%
- Heparin washout 98%
- Fat removal 99%

#### **Recovery Rate (Speed)**

- Standard wash: **≈3.4 min**
- Fast wash: **~2.25 min**
- Emergency wash: **≈1.45 min**

135 mL volume per cycle

# DYNAMIC CELL SALVAGE


Dynamic Cell Salvage combines three unique components: The Intellipath Bowl. Adaptive Two-Stage Fill. And Pulse Wash.



## **INTELLIPATH BOWL**

The Intellipath Bowl is engineered to help maximize hematocrit,<sup>\*</sup> minimize hemolysis generated by the autoLog  $IQ^{M}$  system, and enhance efficiency of the wash process.

- Indentations disrupt the blood pathway to separate red blood cells from other components.
- One 135 mL bowl is used for most cases.




### ADAPTIVE TWO-STAGE FILL

To achieve high hematocrit with less waste, the autoLog IQ system fills the bowl in two stages.

**STAGE ONE:** The system does an initial fill, at a fill rate of 600 mL/min. It pauses briefly to compact red blood cells.

**STAGE TWO:** The system adjusts the fill speed, depending on hematocrit.

- Low hematocrit: ≥ 225 mL fills at 250 mL/min
- High hematocrit: < 225 mL fills at 600 mL/min



### **PULSE WASH**

The Pulse Wash makes the wash process more efficient by adjusting the saline pulse volume, depending on the density of the cell pack.

- The system detects cell pack characteristics and adjusts pulse length automatically.
- Standard wash volume is 250 mL for all situations.

# MANUAL ADJUSTMENT

In the vast majority of cases you run the autoLog IQ system provides high-quality blood for return to patients automatically. But for complex or emergency cases, you **can manually adjust vacuum and wash settings instantly** from a touchscreen menu.





# INGENIOUS DESIGN **MAKES IT SIMPLE.**

The genius of the autoLog IQ<sup>™</sup> system is that it makes the complex process of returning highquality blood to patients reliable, consistent and simple.

It's exceptionally small, light, and maneuverable — fitting comfortably in cramped environments. It demands little attention while in use, freeing operators to focus on other tasks during surgery. And with just one bowl size, the autoLog IQ system simplifies ordering and storage.



7-inch touchscreen, intuitive user interface



Handle converts to wash kit holder



Back storage for wash kit



USB port to download patient records



Lay-flat kit setup secures tubing placement



Removable front storage for supplies



Storage for 2 wash kits and reservoir



Removable micro-storage tray for small items



Stores up to 100 patient case records



#### Spill trap door



Optional bar code scanner

#### HIGH-QUALITY SERVICE AND SUPPORT, DELIVERED CONSISTENTLY

Medtronic is proud to offer equipment services and support structured in a way that meets individualized hospital needs through multi-tiered offerings. Highlytrained Medtronic service and support professionals, with specialized diagnostic tools and rigorous processes, help to:

- accurately diagnose issues,
- identify and mitigate risks,
- optimize performance, and
- extend the lifecycle of the equipment.

For more information on the value of our equipment service and support offerings:

#### International:

Please contact your local Medtronic Office.

United States: Phone: 1-800-433-4311

#### E-mail:

rs.cvstechnicalsupport@ medtronic.com

#### Ordering Information

autoLog IQ<sup>™</sup> System Product Codes

Part #	Description	Qty
ATLGIQ	autoLogIQ™ Autotransfusion System-US	1
ATLGIQ1	autoLog IQ™ Autotransfusion System-Non US	1
ATL2001	Wash Kit	6
BT725	Suction/Anticoagulation Line	10
BT1000SC	Blood Holding Bag	24
ELUWB1	Waste Bag	10
EL2120	Hardshell Blood Collection Reservoir with 120 micron filter	6
EL240	Hardshell Blood Collection Reservoir with 40 micron filter	6
EL400	4 Liter Hardshell Cardiotomy Reservoir with 120 micron filter	6
EL402	4 Liter Hardshell Cardiotomy Reservoir with 20 micron filter	6
EL404	4 Liter Hardshell Cardiotomy Reservoir with 40 micron filter	6
ATLHBIQ	Hardshell Reservoir Holder	1
ATBAG300	Autologous Transfer Bag - 300 mL	48
ATBAG600	Autologous Transfer Bag - 600 mL	48
ATBAG1000	Autologous Transfer Bag - 1000 mL	48
BCSIQ	Bar Code Scanner	1

#### **One Source Packs**

Part #	Description	Qty
ATLS21 ATL2001 BT725 EL2120	Includes One of Each Wash Kit Suction/Anticoagulant Line 4 Liter Hardshell Blood Collection Reservoir with 120 micron filter	4
ATLS24 ATL2001 BT725 EL240	Includes One of Each Wash Kit Suction/Anticoagulant Line 4 Liter Hardshell Blood Collection Reservoir with 40 micron filter	4
ATLS00 ATL2001 BT725 EL400	Includes One of Each Wash Kit Suction/Anticoagulant Line 4 Liter Hardshell Cardiotomy Reservoir with 120 micron filter; 1/4" and 3/8" prime ports	4
ATLS02 ATL2001 BT725 EL402	Includes One of Each Wash Kit Suction/Anticoagulant Line 4 Liter Hardshell Cardiotomy Reservoir with 20 micron filter; 1/4" and 3/8" prime ports	4
ATLS04 ATL2001 BT725 EL404	Includes One of Each Wash Kit Suction/Anticoagulant Line 4 Liter Hardshell Cardiotomy Reservoir with 40 micron filter; 1/4″ and 3/8″ prime ports	4

# Medtronic

710 Medtronic Parkway Minneapolis, MN 55432-5604 USA Tel: (763) 514-4000 Fax: (763) 514-4879 Toll-free: (800) 328-2518 Life Line CardioVascular Technical Support Tel: (877) 526-7890 Fax: (763) 526-7890 Fax: (763) 526-7888 rs.cstechsupport@medtronic.com

Technical Information			
Electrical classification	Class I, Type BF (suction/anticoagulant line), Ordinary, Continuous operation		
Power	Voltage: 100 V~ to 240 V~ Frequency: 50 Hz / 60 Hz Phase: Single; Current: 10 VA to 425 VA Fuses: 7 A / 250 V slow blow, 3AG, 200 A breaking capacity (Littelfuse 0313007.MXP or equivalent) Power cord: 3 prong hospital grade connector (varies by geography)		
Speed, flow rate and pressure	Centrifuge: 0 rpm to 10 000 rpm (±5%) Pump: 0 mL/min to 1 000 mL/min (±5%) Vacuum: -10 mmHg to -370 mmHg ±(5% +8 mmHg)		
Weight sensor	Self-start: 800 mL ±200 mL		
Dimensions	69 cm (27 in) wide x 80.5 cm (31.7 in) high (without IV pole) x 42.5 cm (16.7 in) deep		
Weight (device including IV pole)	50 kg (110 lb)		
IP rating	IPX1		
Temperature limit	Operational: 15°C to 30°C (59°F to 86°F) Storage (clinic): 15°C to 30°C (59°F to 86°F) Storage (warehouse): 15°C to 30°C (59°F to 86°F) Transit: -35°C to 60°C (-31°F to 140°F)		
Humidity range	Operational: 25% to 70% noncondensing Storage (clinic): 25% to 70% Storage (warehouse): 10% to 90% Transit: 10% to 90%		
Pressure range	Operational: 80 kPa to 101 kPa (11.6 psi to 14.6 psi) Storage (clinic):80 kPa to 101 kPa (11.6 psi to 14.6 psi) Storage (warehouse): 80 kPa to 101 kPa (11.6 psi to 14.6 psi) Transit: 59.5 kPa to 106 kPa (8.6 psi to 15.3 psi)		

**Caution:** Federal Law (USA) restricts these devices to sale by or on the order of a physician. For a listing of indications, contraindications, precautions and warnings, please refer to the Instructions for Use which accompanies each product.

#### References

- 1. Blood Facts and Statistics. (n.d.). Retrieved February 15, 2018, from
- http://www.redcrossblood.org/learn-about-blood/blood-facts-and-statistics.
  2. Shander, A., Hofmann, A., Ozawa, S., Theusinger, O. M., Gombotz, H., & Spahn, D. R. (2010). Activity-based costs of blood transfusions in surgical patients at four hospitals. *Transfusion*, 50(4), 753–765.
- Friedman, R., Homering, M., Holberg, G., & Berkowitz, S. D. (2014). Allogeneic blood transfusions and postoperative infections after total hip or knee arthroplasty. *The Journal of Bone and Joint Surgery. American Volume*, 96(4), 272–278.
   Meybohm, P., Choorapoikayil, S., Wessels, A., Herrmann, E., Zacharowski, K., & Spahn,
- Meybohm, P., Choorapoikayil, S., Wessels, A., Herrmann, E., Zacharowski, K., & Spahr D. R. (2016). Washed cell salvage in surgical patients. *Medicine*, 95(31).
   Sahu, S., Hemlata, & Verma, A. (2014). Adverse events related to blood transfusion.
- Indian Journal of Anaesthesia, 58(5), 543–551.
- 6. Dionigi, G., Boni, L., Rovera, F., Rausei, S., Cuffari, S., Cantone, G., Bacuzzi, A., Dionigi, R. (2009). Effect of perioperative blood transfusion on clinical outcomes in hepatic surgery for cancer. World Journal of Gastroenterology, 15(32), 3976–3983.

#### For more information contact your local Medtronic Sales Representative or call Customer Service toll-free at 1-800-328-1357.

©2018 Medtronic. All rights reserved. Medtronic logo and Further Together are trademarks of Medtronic. All other brands are trademarks of a Medtronic company.